

PUREDESIGN BY ARWEI®

ARWEI-KOMPAKT-REINSTREIFER DATA SHEET PORTAL SRCB 17





Static point loading up to 8,8 t per 80 cm²



Interior and roofed exterior

Suitable for heavy load





Suitable for wheelchairs Coarse dirt absorption



Recommended for:



Private Homes



Office buildings



Shopping centres



Public and fairground halls


Height	Bar distance	Profile	Walking Area	Weight per m ²
17 mm	4 / 6 mm	Aluminum	Rips, Cassette Brush	approx. 14,0 kg (with 6 mm bar spacing)

System Design

- Rips
- 2 ARWEI-Cassette Brush
- 3 Aluminum profile
- 4 ARWEI special connector, without cable connections
- Scratching Edge

Characteristics

Extrem high stability up to 8800 kg per 80 cm² static point load



Advantages

- ARWEI-Premium-Reinstreifer is manufactured as a modular system. Every single part can be replaced easily on the spot.
- The rips and cassette brush are fixed in a covered manner to prevent slipping sideways.
- The special profile geometry of the ARWEI Reinstreifer allows for high strain. The Reinstreifer is drivable.



PUREDESIGN BY ARWEI®

Standard Colours







anthracite





coconut

dark brown

llustration of colors not true to original. On request you receive original samples promptly. It's about rips colours. Brushes only available in black.

Tender specifications: Portal SRCB 17

High quality, especially wear-resistant entrance mat, improved absorption of coarse dirt

Application: Indoor and roofed exterior; normal up to extremely strong frequency, drivable with trolleys, pallet trucks, cars, etc.; suitable for wheelchairs, overall laying, Static point loading up to 8800 kg per 80 cm²

Stripe profile: aluminum, with scratching edge, sound insulated

Cleaning pads: Rips and cassette brush alternating

Walking area: Rips, 100 % PP; is fixed in a covered manner to prevent slipping sideways; can be substituted subsequently; colours anthracite, light grey, dark brown, red, coconut; slip resistance R11 according to DIN 51130

Cassette brush: with bristle bundles arranged parallel to one another, colour black, slip resistance R 12 according to DIN 51130

Connection: ARWEI Special Connectors; therefore easily to roll up, high slip resistance by anti-slip function; modular construction – no wire or cable connections -, each part can easily be replaced on the spot

Height: 17 mm

Bar distance: 4 or 6 mm

Angle frames in 20 x 20 x 3 mm are available in aluminum, brass or stainless steel.



ARWEI REINSTREIFER IN ACTION.

www.youtube.com/arweitv





Constructional and material changes in the course of further product development reserved. All dimensions are standard values without considering production engineering-related tolerances. They are based on our experience and testing. The variety of associated materials and working conditions that occur on jobsites are not checked in detail and cannot be influenced by us. The quality of your work depends on your own professional judgment and product usage. If in doubt of any application recommendation or instruction, conduct a small test or obtain technical advice. With the publication of this product data sheet invalidates all previous product information. The respective updated version of this datasheet can be found on our Homepage under www.arwei.de.